इंटरनेट मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

"जानने का अधिकार, जीने का अधिकार"
Mazdoor Kisan Shakti Sangathan
"The Right to Information, The Right to Live"

"पुराने को छोड नये के तरफ"
Jawaharlal Nehru
"Step Out From the Old to the New"

IS 3660-2 (1985): Methods of Test for Natural Rubber, Part 2: Determination of Volatile Matter [PCD 13: Rubber and Rubber Products]



"ज्ञान से एक नये भारत का निर्माण"
Satyanarayan Gangaram Pitroda
"Invent a New India Using Knowledge"

"ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है"
Bhartṛhari—Nītiśatakam
"Knowledge is such a treasure which cannot be stolen"

BLANK PAGE

IS : 3660 (Part 2) - 1985
(Reaffirmed 2000)

Indian Standard

METHODS OF TEST FOR NATURAL RUBBER

PART 2 DETERMINATION OF VOLATILE MATTER

NR : 2

(Second Revision)

UDC 678·4 : 543·813

INDIAN STANDARDS INSTITUTION
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

Gr 2 *February* 1986

Indian Standard

METHODS OF TEST FOR NATURAL RUBBER

PART 2 DETERMINATION OF VOLATILE MATTER

NR : 2

(Second Revision)

Rubber Sectional Committee, PCDC 14

Chairman	*Representing*
SHRI LALIT MOHAN JAMNADAS	Cosmos India Rubber Works Pvt Ltd, Bombay
Vice-Chairman	
SHRI S. B. GANGULI	Dunlop India Ltd, Calcutta
SHRI K. S. LOGANATHAN (*Alternate*)	
Members	
SHRI SATISH ABRAHAM	Padinjarekara Agencies Ltd, Kottayam
SHRI O. P. AGARWAL	Transasia Carpets Ltd, Sikandrabad
SHRI J. N. JHA (*Alternate*)	
SHRI A. K. BANDYOPADHAYAY	Ministry of Defence (DGI)
SHRI V. BHATTACHARYA (*Alternate*)	
DR B. BANERJEE	Carbon and Chemicals India Ltd, Cochin
DR D. BANERJEE	Econ Consultants Pvt Ltd, Calcutta
DR P. S. BHARGAVA	Alkali and Chemical Corporation of India Ltd, Calcutta
SHRI N. C. SAMAJDAR (*Alternate*)	
SHRI J. CHATTERJEE	Andrew Yule & Co Ltd, Calcutta
SHRI A. K. BISWAS (*Alternate*)	
DR D. K. DAS	National Test House, Calcutta
SHRI A. GHOSH (*Alternate*)	
SHRI P. B. G. DASTIDAR	Bata India Ltd, Calcutta
SHRI S. SARKAR (*Alternate*)	
SHRI S. L. GANDHI	Ministry of Defence (R & D)
SHRI H. C. PERTI (*Alternate*)	
SHRI J. M. GARG	Directorate General of Technical Development, New Delhi
SHRI A. GEORGE JOHN	Madras Rubber Factory Ltd, Madras
SHRI K. J. JOSEPH	Plantation Corporation of Kerala Ltd, Kottayam
SHRI K. T. VARGHESE (*Alternate*)	

(*Continued on page* 2)

(*Continued from page* 1)

Members	*Representing*
SHRI G. R. KAVISHWAR	Indian Rubber Regenerating Co Ltd, Thane
SHRI P. S. VIRANI (*Alternate*)	
SHRI N. S. KHANNA	All India Rubber Industries Association, Bombay
SHRI R. R. PANDIT (*Alternate*)	
SHRI K. N. KOSHY	M. M. Rubber Co Ltd, Madras
SHRI N. SUBRAMANIAN (*Alternate*)	
SHRI P. K. MADHAVA MENON	Thirumbadi Rubber Co Ltd, Mokkam
SHRI L. K. MATHUR	Modi Rubber Ltd, Modipuram
SHRI D. W. MCCRIRICK	Association of Planters of Kerala, Cochin
SHRI P. K. MENON (*Alternate*)	
SHRI P. K. MENON	United Planters' Association of Southern India, Coonoor
SHRI E. B. UNNI (*Alternate*)	
DR W. MILLNS	Indian Rubber Manufacturers Research Association, Thane
SHRI N. B. FEGADE (*Alternate*)	
SHRI R. MURLEEDHARAN NAIR	Hindustan Latex Ltd, Bangalore
SHRI R. R. PANDIT	Bayer (India) Ltd, Bombay
SHRI D. J. BHARUCHA (*Alternate*)	
SHRI S. A. PASHA	London Rubber Co (India) Ltd, Madras
SHRI R. KRISHNAN (*Alternate*)	
SHRI M. C. PAUL	Arakkunnam Co-operative Rubber Marketing Society Ltd, Arakkunnam
SHRI K. S. RADHAKRISHNAN	National Rubber Manufacturers Ltd, Calcutta
SHRI R. P. MATHUR (*Alternate*)	
SHRI A. RAJAMANI	Automotive Tyre Manufacturers' Association, New Delhi
SHRI P. C. SENGUPTA (*Alternate*)	
SHRI RAJINDER SINGH	State Trading Corporation of India Ltd, New Delhi
SHRI O. P. ARORA (*Alternate*)	
DR S. B. RATH	Synthetics and Chemicals Ltd, Bombay
SHRI H. C. CHOPRA (*Alternate*)	
SHRI S. V. SARMA	Travancore Rubber & Tea Co Ltd, Trivandrum
SHRI C. S. KRISHNASWAMY (*Alternate*)	
SHRI SUNIL I. SHAH	Indian Petrochemicals Corporation Ltd, Vadodara
SHRI A. K. MALLIK (*Alternate*)	
SHRI E. V. THOMAS	Rubber Research Institute of India, Kottayam; *and* Rubber Board, Kottayam
DR M. G. KUMARAN (*Alternate* I)	
DR N. M. MATHEW (*Alternate* II)	
SHRI M. S. SAXENA, Director (P & C)	Director General, ISI (*Ex-officio Member*)

Secretary

SHRI DILEEP KUMAR
Assistant Director (P & C), ISI

(*Continued on page* 8)

Indian Standard

METHODS OF TEST FOR NATURAL RUBBER

PART 2 DETERMINATION OF VOLATILE MATTER

NR : 2

(Second Revision)

0. FOREWORD

0.1 This Indian Standard (Part 2) (Second Revision) was adopted by the Indian Standards Institution on 13 March 1985, after the draft finalized by the Rubber Sectional Committee had been approved by the Petroleum, Coal and Related Products Division Council.

0.2 'Methods of test for natural rubber' had been originally covered in the following four parts of IS : 3660:

IS : 3660 (Part I)-1972 Determination of dirt, volatile matter, ash, total copper, manganese, iron, rubber hydrocarbon, viscosity (shearing disc viscometer), and mixing and vulcanizing of rubber in a standard compound (*first revision*)

IS : 3660 (Part II)-1968 Determination of solvent extract and nitrogen content

IS : 3660 (Part III)-1971 Plasticity and plasticity retention index

IS : 3660 (Part IV)-1979 Determination of colour, accelerated storage-hardening test and vulcanization characteristics (MOD test)

0.2.1 While reviewing various test methods for natural rubber, the Committee decided to align them with the corresponding International Standards. No unification of test methods for natural and synthetic rubber has been considered necessary. However, in revising test methods for natural rubber, the Committee had decided to revise and split the standard (IS : 3660) in further parts and publish individual test methods under natural rubber (NR) series. For proper referencing of the existing test methods and the new methods under revision a table

showing correspondence of the various methods of test covered in the previous parts of IS : 3660 (Part I, II, III, and IV) with the presently split parts *vis-a-vis* the original NR: number have been given in Appendix A.

0.2.2 In order to facilitate cross-reference, it has been decided to retain the original discrete NR series number assigned to various test methods as indicated in original IS : 3660 (Part I, Part II, Part III and Part IV), in the new *revised* Parts of IS : 3660.

0.3 The test method given in this revised standard supersedes the test method as given under NR: 2 of IS : 3660 (Part 1)-1972. All the four parts of the original IS : 3660 shall be withdrawn upon its complete revision.

0.4 In the preparation of this standard, assistance has been derived from ISO 248-1979 'Rubbers raw — Determination of volatile matter content' published by the International Organization for Standardization.

0.5 In reporting the result of a test or analysis made in accordance with this standard, if the final value, observed or calculated, is to be rounded off, it shall be done in accordance with IS : 2-1960*.

1. SCOPE

1.1 The standard prescribes a method for the determination of volatile matter, which is volatile at 100°C, present in the natural rubber.

2. APPARATUS

2.1 Chemical Balance

2.2 Desiccator with Efficient Desiccant

2.3 Roll Mill

2.4 Oven — Capable of being controlled at 100 ± 5°C.

3. PROCEDURE

3.1 Sheet out a test piece of about 600 g, following **3.1.1** of IS : 3660 (Part I)-1972†. Weigh to the nearest 0·1 g before and after homogenization.

3.1.1 Select a test portion of about 10 g from the homogenized test piece and weigh it to the nearest 0·1 mg.

*Rules for rounding off numerical values (*revised*).

†Methods of test for natural rubber: (Part 1). [Under revision as IS : 3660 (NR : 0)].

3.1.2 With the mill set at 70 ± 5°C and with a mill opening which will produce a sheet of less than 2 mm thickness, pass the test portion twice between the rolls.

3.2 Place the test portion, so derived, for 1 hour in the oven, controlled at 100 ± 5°C with the ventilators open. Arrange the rubber to present the largest possible surface area to the hot air. Allow to cool in a desiccator and weigh. Repeat the heating and weighing until the loss on successive weighings at half-hour interval is less than 1 mg.

4. EXPRESSION OF RESULTS

4.1 Calculate the volatile matter from the following formula:

$$\text{Volatile matter, percent by mass} = \left[1 - \left(\frac{B\,D}{A\,C} \right) \right] \times 100$$

where

B = mass in g of piece after homogenization,

D = final mass in g of test portion after oven drying,

A = initial mass in g of piece before homogenization, and

C = initial mass in g of test portion as taken from the piece.

APPENDIX A

(*Clause* 0.2.1)

TABLE SHOWING CORRESPONDENCE OF THE VARIOUS METHODS OF TEST COVERED IN THE EXISTING IS : 3660 (PART 1)-1972, IS : 3660 (PART 2)-1968, IS : 3660 (PART 3)-1971, AND IS : 3660 (PART 4)-1979 *WITH* THE REVISION/ PROPOSED REVISION OF ALL THE FOUR PARTS OF IS : 3660

Existing Test Methods			Proposed Revision		Remarks
Test Method	IS : No.	Part (Series)	IS : No.	Series	
(1)	(2)	(3)	(4)	(5)	(6)
NR SERIES					
Determination of dirt	IS : 3660-1972	Part 1 (NR : 1)	IS : 3660 (Part 1)	(NR : 1)	
Determination of volatile matter	IS : 3660-1972	Part 1 (NR : 2)	IS : 3660 (Part 2)	(NR : 2)	
Determination of ash	IS : 3660-1972	Part 1 (NR : 3)	IS : 3660 (Part 3)	(NR : 3)	Under Revision
Determination of total copper	IS : 3660-1972	Part 1 (NR : 4)	IS : 3660 (Part 4)	(NR : 4)	Under Revision
Determination of manganese	IS : 3660-1972	Part 1 (NR : 5)	IS : 3660 (Part 5)	(NR : 5)	Under Revision
Determination of iron	IS : 3660-1972	Part 1 (NR : 6)	Deleted since this test is no longer being done		Under Revision
Determination of rubber hydrocarbon	IS : 3660-1972	Part 1 (NR : 7)	IS : 3660 (Part 6)	(NR : 7)	Under Revision
Determination of viscosity by shearing disk viscometer	IS : 3660-1972	Part 1 (NR : 8)	IS : 3660 (Part 7)	(NR : 8)	Under Revision
Mixing and vulcanizing in a standard compound	IS : 3660-1972	Part 1 (NR : 9)	IS : 3660 (Part 8)	(NR : 9)	Under Revision
Determination of solvent extract	IS : 3660-1968	Part 2 (NR : 10)	IS : 3660 (Part 9)	(NR : 10)	Under Revision
Determination of nitrogen content	IS : 3660-1968	Part 2 (NR : 11)	IS : 3660 (Part 10)	(NR : 11)	Under Revision

Determination of plasticity	IS : 3660-1971	Part 3 (NR : 12)	IS : 3660 (Part 11)	(NR : 12)	Yet to be revised
Determination of plasticity retention index (PRI)	IS : 3660-1971	Part 3 (NR : 13)	IS : 3660 (Part 12)	(NR : 13)	
Determination of colour	IS : 3660-1979	Part 4 (NR : 14)	IS : 3660 (Part 13)	(NR : 14)	
Determination storage-hardening test	IS : 3660-1979	Part 4 (NR : 15)	IS : 3660 (Part 14)	(NR : 15)	
Determination of vulcanization characteristics (MOD test)	IS : 3660-1979	Part 4 (NR : 16)	IS : 3660 (Part 15)	(NR : 16)	

(*Continued from page* 2)

Methods of Testing Subcommittee, PCDC 14 : 1

Convener	*Representing*
DR S. N. CHAKRAVARTY	Modi Rubber Ltd, Modipuram
Members	
SHRI S. K. MUSTAFI (*Alternate* to Dr S. N. Chakravarty)	
SHRI SATISH ABRAHAM	Padinjarekara Agencies Ltd, Kottayam
SHRI P. S. BALASUBRAMANIAM	L. G. Balakrishnan & Bros Ltd, Coimbatore
SHRI A. N. BHATTACHARYA	Union Commercial and Industrial Co Ltd, Calcutta
SHRI B. PANJA (*Alternate*)	
SHRI J. CHATTERJEE	Andrew Yule & Co Ltd, Calcutta
SHRI A. K. BISWAS (*Alternate*)	
SHRI P. K. CHATTERJEE	Bayer (India) Ltd, Bombay
SHRI D. J. BHARUCHA (*Alternate*)	
DR C. K. DAS	National Rubber Manufacturers Ltd, Calcutta
SHRI R. P. MATHUR (*Alternate*)	
SHRI J. M. GARG	Directorate General of Technical Development, New Delhi
SHRI G. R. KAVISHWAR	Indian Rubber Regenerating Co Ltd, Bombay
SHRI P. S. VIRANI (*Alternate*)	
SHRI PULIN L. KINARIWALA	Cosmos India Rubber Works Pvt Ltd, Bombay
SHRI S. N. GHADGE (*Alternate*)	
SHRI K. S. LOGANATHAN	Dunlop India Ltd, Calcutta
DR S. CHATTOPADHYAY (*Alternate*)	
SHRI P. K. MADHAVA MENON	The Thirumbadi Rubber Co Ltd, Mokkam
SHRI A. K. MALLIK	Indian Petrochemicals Corportion Ltd, Vadodara
DR Y. N. SHARMA (*Alternate*)	
DR W. MILLNS	Indian Rubber Manufacturers Research Association, Thane
SHRI P. L. NAG	Ministry of Defence (DGI)
SHRI H. L. SRIVASTAVA (*Alternate*)	
SHRI P. K. PAIN	National Test House, Calcutta
DR S. B. RATH	Synthetics & Chemicals Ltd, Bombay
SHRI H. C. CHOPRA (*Alternate*)	
SHRI S. V. SARMA	Travancore Rubber & Tea Co Ltd, Trivandrum
SHRI C. S. KRISHNASWAMY (*Alternate*)	
SHRI E. V. THOMAS	The Rubber Board, Kottayam
DR N. M. MATHEW (*Alternate*)	
SHRI V. G. TORSEKAR	Polyolefins Industries Ltd, Bombay
SHRI V. K. SUD (*Alternate*)	

INDIAN STANDARDS INSTITUTION

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002
Telephones : 3 31 01 31, 3 31 13 75 Telegrams : Manaksanstha
(Common to all Offices)

Regional Offices :	*Telephone*
*Western : Manakalaya, E9 MIDC, Marol, Andheri (East), BOMBAY 400093	6 32 92 95
†Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, CALCUTTA 700054	36 24 99
Southern : C. I. T. Campus, MADRAS 600113	41 24 42
Northern : SCO 335-336, Sector 34-A, CHANDIGARH 160022	60 38 43
Branch Offices :	
'Pushpak', Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001	2 63 48 2 63 49
'F' Block, Unity Bldg, Narasimharaja Square, BANGALORE 560002	22 48 05
Gangotri Complex, Bhadbhada Road, T. T. Nagar, BHOPAL 462003	6 27 16
22E Kalpana Area, BHUBANESHWAR 751014	6 36 27
6-8-56C L. N. Gupta Marg, HYDERABAD 500001	22 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005	4 72 92
Patliputra Industrial Estate, PATNA 800013	6 23 05
Hantex Bldg (2nd Floor), Rly Station Road, TRIVANDRUM 695001	32 27
Inspection Office (With Sale Point) :	
Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 410005	5 24 35

*Sales Office in Bombay is at Novelty Chambers, Grant Road, Bombay 400007 89 65 28

†Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep Street, Calcutta 700072 27 68 00

Printed at Printograph, New Delhi, India